


DRAWING NO. 55-0023-2



kW	L1 IN[mm]	L2 IN[mm]
2	6.8 [173]	10.0 [254]
3	8.4 [214]	11.6 [295]
4	10.9 [277]	14.1 [358]
6	15.8 [401]	19.0 [483]
9	24.8 [630]	28.0 [711]

NOTE(S):

- WETTED MATERIAL: 304/316 STAINLESS STEEL
- MOUNTING BRACKETS CAN BE ROTATED AT 90° INCREMENTS.

APPROVED BY:			PRODUCTION REVIEW:			Q.C. REVIEW:			UNLESS NOTED TOLERANCES ARE: 0.00 = ±.13 0.000 = ±.065 ANGLES = ±1° SECONDARY UNIT FOR REFERENCE ONLY [mm] INCHES	PROCESS TECHNOLOGY® 7010 LINDSAY DR, MENTOR OH USA (P) 440-946-9500 (F) 440-974-9561 WWW.PROCESS-TECHNOLOGY.COM			
						PCN:							
2	JTR	8/15/07	ADDED LOWER BRACKET DIMENSION			MATERIAL:			DRAWN BY: MAC DATE: 11/20/06 DESIGNER:	DATE:			
1	MAC	06/28/07	ADDED SPECIAL TOLERANCE TO IN/OUT						DESCRIPTION:				
REV.	BY	DATE	DESCRIPTION OF CHANGE						SALES: SOLTAN2, DIMENSIONAL				
THIS DRAWING IS THE PROPERTY OF PROCESS TECHNOLOGY. IT CONTAINS CONFIDENTIAL INFORMATION AND MAY NOT BE REPRODUCED IN ANY WAY WITHOUT THE PERMISSION OF PROCESS TECHNOLOGY.									INTERPRET GEOMETRIC DIMENSIONING AND TOLERANCING PER ASME Y14.5M 3rd ANGLE PROJECTION	SIZE: A SCALE: NONE PAGE: 1 OF 1 DRAWING No. 55-0023-2			